

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Patent Number: 7,418,828  
Issued: September 2, 2008  
Name of Patentee: Nobuaki Himori  
Title of Invention: REFRIGERATOR

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT  
FOR PTO MISTAKE (37 C.F.R. § 1.322(a))**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Attention: Certificate of Correction Branch

1. Attached is Form PTO/SB/44.
2. Correction of the Official Letters Patent is respectfully requested in view of the following text which appears correctly in the application file:

At Claim 1, line 7, "feeder" should read -- feeding --, as indicated in the Examiner's Amendment issued on June 30, 2008.
3. Please send the Certificate to:

Name: Lawrence E. Ashery  
P.O. Box 980  
Valley Forge, PA 19482  
(610) 407-0700


Name of Assignee: Matsushita Electric Industrial Co., Ltd.

Assignment Recorded on: July 7, 2006

Reel: 017893

Frame: 0891

Respectfully submitted

  
Lawrence E. Ashery, Reg. No. 34 515

Attorney for Applicant

LEA/dmw

Enclosures:

Form PTO/SB/44

Copy/Page 2 of Examiner's Amendment

Dated: November 17, 2008

P.O. Box 980  
Valley Forge, PA 19482  
(610) 407-0700

343999

**EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Lawrence E. Ashery on 06/13/08. The application has been amended as follows:

Claims 5 and 6 are cancelled.

(Currently Amended) A refrigerator comprising:

a door filled with heat insulator therein;

a water storage tank unit disposed at a high place of an inner face of the door, and the water storage tank unit including a water storage tank and a tank cover;

a water feeder disposed on a front face of the door, a water feeding tube coupling the tank unit to the water feeder, and including a water feeder outlet at an end of the tube, the water feeder including a water feed controlling unit for opening/closing the water feeder outlet, the water feed controlling unit includes:

a canopy mounted to the water feeding tube above the water feeder outlet;

a sliding rod extending through the canopy in a sliding manner;

a spring mounted on the sliding rod;

a rubber lid mounted to the sliding rod;

a pin; and

a water feeding lever coupled to the sliding rod via the pin above the canopy; and

**COPY**

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

PATENT NO: 7,418,828

Page 1 of 1

APPLICATION NO.: 10/595,048

DATED: SEPTEMBER 2, 2008

INVENTOR(S): NOBUAKI HIMORI

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 3

At line 7 of Claim 1, "feeder" should read -- feeding --.

Mailing Address of Sender:

RatnerPrestia  
P.O. Box 980  
Valley Forge, PA 19482  
(610) 407-0700

This collection of information is required by 37 CFR 1.322, 1.323 and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

*If you need assistance completing the form, call 1-800-PTO-9199 and select option 2.*